

# Table of tolerances din 16901

table of tolerances din 16901 is an essential reference in the manufacturing and engineering sectors, providing standardized guidelines for dimensional tolerances of various mechanical components. This DIN (Deutsches Institut für Normung) standard ensures consistency, precision, and quality across industries by defining permissible deviations in measurements such as diameter, length, and other critical dimensions. Understanding the table of tolerances din 16901 is crucial for engineers, manufacturers, quality inspectors, and designers aiming to achieve high standards in their production processes.

**Introduction to DIN 16901 and Its Significance**

DIN 16901 is a comprehensive standard developed by the German Institute for Standardization, focusing on the tolerances of cylindrical and other machined parts. It forms part of the broader DIN standards series that governs technical specifications, ensuring interoperability and quality assurance across industries.

**Why Is DIN 16901 Important?**

- Ensures Consistency:** Provides a uniform set of tolerance values that manufacturers worldwide can adhere to.
- Facilitates Quality Control:** Helps in defining acceptable deviations, simplifying inspection processes.
- Promotes Interchangeability:** Ensures parts from different manufacturers can fit and function together seamlessly.
- Supports Cost Optimization:** Balances manufacturing precision with cost-effectiveness by defining appropriate tolerance ranges.

**Understanding the Structure of the DIN 16901 Tolerance Table**

The table of tolerances din 16901 is organized systematically to cover various dimensions and types of parts. It categorizes tolerances based on the nominal size and the type of fit or application.

**Key Components of the Tolerance Table**

- Nominal Size Range:** Typically from small diameters (e.g., 1 mm) up to large dimensions (e.g., 315 mm or more).
- Tolerance Classes:** Designated by letters or numbers, indicating the degree of precision.
- Deviations:** Upper and lower limits specifying the maximum permissible variation from the nominal size.
- Type of Fit:** Interference, clearance, or transition fits depending on the application.

**Standard Tolerance Classes in DIN 16901**

The standard defines various tolerance classes such as:

- IT0, IT1, IT2, IT3, IT4, IT5:** Ranging from very precise to more standard tolerances, with IT0 being the tightest fit and IT5 the loosest.
- Application-specific classes:** For shafts, holes, and other components, ensuring specific fit types.

**Categories Covered by DIN 16901 Tolerance Table**

The table encompasses a broad spectrum of mechanical parts, including:

- Cylindrical and Shaft Parts:** Tolerances for shafts of different diameters. Fit types such as sliding, clearance, or interference fits.
- Holes and Bores:** Tolerance ranges for drilled or machined holes. Tolerance zones for reamed, bored, or tapped holes.
- Other Machined Components:** Tolerances for stepped shafts, tapered parts, and other complex geometries.
- Special Tolerance Zones:** For precision instruments or high-accuracy components requiring IT0 or IT1 classes.

**How to Read and Use the DIN 16901 Tolerance Table**

Applying the table correctly is crucial for achieving desired fit and function in mechanical assemblies.

**Step-by-Step Guide**

- Determine the Nominal Size:** Measure or specify the nominal diameter or length of the part.
- Select the Tolerance Class:** Based on the application requirements?precision, load, movement, etc.
- Identify the Tolerance Zone:** Find the corresponding upper and lower deviation values from the table.
- Calculate Actual Dimensions:** Ensure the manufactured part falls within the acceptable limits.
- Verify Fit Type:** Confirm that the chosen

tolerances correspond to the desired type of fit (sliding, clearance, interference).Practical ExampleSuppose a shaft with a nominal diameter of 20 mm requires a standard clearance fit. The engineer selects tolerance class IT5 for the shaft and IT6 for the hole. The table provides deviations such as:Shaft (IT5): +0.055 mm / 0 mmHole (IT6): 0 mm / -0.035 mmThe manufacturing process must produce dimensions within these limits to ensure proper fit.Advantages of Using DIN 16901 Tolerance TableAdopting the DIN 16901 tolerance table offers multiple benefits:StandardizationFacilitates international trade and manufacturing compatibility.Simplifies communication between designers and manufacturers.Quality AssuranceEstablishes clear acceptance criteria.Reduces variability and defects.Cost EfficiencyHelps optimize manufacturing processes by choosing appropriate tolerances.Avoids unnecessary over-precision, saving time and resources.Improved Product PerformanceEnsures proper fit, reducing wear and tear.Enhances reliability and lifespan of mechanical systems.Integrating DIN 16901 Tolerance Data into Engineering WorkflowsModern CAD/CAM software often integrates standard tolerance data, including DIN 16901, streamlining the design process.Best PracticesUse Standard Libraries: Incorporate DIN 16901 data directly into design tools.Collaborate with Suppliers: Ensure manufacturing teams understand and adhere to specified tolerances.Perform Dimensional Checks: Regular inspections during production to verify compliance.Document Tolerance Specifications: Clearly specify tolerance classes on drawings and BOMs.Tips for Effective Tolerance ManagementChoose the tightest tolerances only when necessary.Consider manufacturing capabilities when selecting tolerance classes.Balance precision requirements with cost implications.Conclusion: The Critical Role of DIN 16901 Tolerance Table in Modern ManufacturingThe table of tolerances din 16901 remains a cornerstone in mechanical engineering, providing a standardized framework for defining acceptable dimensional deviations. Its comprehensive structure supports the production of high-quality, interchangeable parts, minimizing errors and ensuring smooth assembly processes. By understanding and applying DIN 16901 tolerances effectively, manufacturers and designers can optimize their operations, reduce costs, and deliver reliable products that meet international standards.Whether in designing shafts, holes, or complex machined components, the DIN 16901 tolerance table serves as a reliable guide that bridges the gap between theoretical specifications and practical manufacturing. As industries continue to evolve towards higher precision and automation, the importance of standardized tolerance data like DIN 16901 will only grow, reinforcing its vital role in global engineering practices.Keywords optimized for SEO:DIN 16901 tolerancetolerance table DIN 16901mechanical component tolerances DINEngineering standards DIN 16901ISO and DIN tolerancesfit and tolerance engineeringmanufacturing tolerance standardsdimension deviation DIN 16901shaft and hole tolerancesstandardized tolerances for machining

Table of Tolerances DIN 16901: An In-Depth Exploration of Standards and ApplicationsIntroductionIn the realm of mechanical engineering and manufacturing, precision is paramount. The table of tolerances DIN 16901 plays a crucial role in defining the permissible

deviations in dimensions for various engineering components. Established by the German Institute for Standardization (DIN), this standard provides a systematic approach to ensuring consistency, interchangeability, and quality across industries. This article delves into the origins, structure, application, and significance of the DIN 16901 tolerances table, offering a comprehensive understanding for engineers, quality managers, and industry stakeholders.

**Historical Background and Development of DIN 16901**  
Origins and Evolution  
DIN standards have a long-standing history dating back to the early 20th century, serving as a cornerstone for engineering precision in Germany and beyond. The DIN 16901 standard was introduced to address the need for standardized tolerances in engineering drawings, especially for shaft and hole fits, which are critical in mechanical assemblies. Initially published in the mid-20th century, DIN 16901 has undergone several revisions to accommodate technological advancements, material innovations, and manufacturing tolerances. Its evolution reflects the changing landscape of manufacturing processes, from manual machining to sophisticated CNC operations.

**Purpose and Rationale**  
The primary goal of DIN 16901 is to establish clear, universally understood tolerances that facilitate:  
Interchangeability of parts  
Quality assurance  
Cost-effective manufacturing  
Reliable assembly and operation  
By providing a standardized set of permissible deviations, the standard reduces ambiguities that can lead to assembly issues or functional failures.

**Structural Overview of DIN 16901**  
Categories and Types of Tolerances  
The table of tolerances within DIN 16901 categorizes tolerances based on:  
Type of fit (e.g., clearance fit, transition fit, interference fit)  
Component type (e.g., shafts, holes)  
Tolerance grades (e.g., IT grades)  
The IT (International Tolerance) Grades  
The core of the DIN 16901 tolerances is the classification into IT grades, which specify the tolerance range for a given dimension. These grades range from IT01 (very precise) to IT16 (coarser). Each grade correlates with specific deviation limits, enabling engineers to select appropriate tolerances based on functional requirements.

| IT Grade    | Tolerance Range       | Typical Application                     |
|-------------|-----------------------|-----------------------------------------|
| IT01        | Very tight            | High-precision instruments              |
| IT0         | Precision engineering | Aerospace components                    |
| IT1         | Fine machining        | Automotive parts                        |
| IT2         | Standard machining    | General mechanical components           |
| IT3 to IT16 | Coarser tolerances    | Structural elements, non-critical parts |

[Note: The exact numerical deviation limits vary depending on the dimension size and component type.]

**Deep Dive into Tolerance Classes and Fits**  
Shaft and Hole Fits  
One of the primary applications of DIN 16901 is defining the permissible limits for shaft-hole assemblies, which are ubiquitous in machinery.  
Clearance Fit: Ensures free movement between parts.  
Transition Fit: Allows for either a slight clearance or interference.  
Interference Fit: Creates a tight, press-fit assembly.  
The standard provides tables indicating the specific tolerances for each fit type, facilitating precise manufacturing and assembly.

**Tolerance Zones and Symbols**  
Each tolerance class is represented through standardized symbols and zones, such as:  
H9 / h9: Designates the tolerance zone for holes (H) and shafts (h) at the IT9 grade.  
Upper and lower deviation limits: Define the maximum and minimum allowable dimensions.  
These symbols help in quick identification and application in technical drawings.

**Practical Applications and Industry Significance**  
Manufacturing and Quality Control  
Implementing DIN 16901 tolerances streamlines manufacturing processes by:  
Reducing the need for excessive machining  
Ensuring consistent fit across batches  
Simplifying quality inspections  
Quality control teams rely on these standardized tolerances to determine acceptance

criteria during inspections, utilizing gauges and measurement tools calibrated to DIN standards.

**Design Optimization** Designers leverage the table of tolerances to balance functional requirements with manufacturing costs. For example:

- Choosing tighter tolerances (IT01?IT03) for high-precision components
- Opting for looser tolerances (IT10?IT16) in structural parts where precision is less critical

This strategic selection helps optimize resource expenditure without compromising product performance.

**Cross-Industry Relevance** From automotive manufacturing, aerospace engineering, to precision instrumentation, the DIN 16901 tolerances underpin reliable assembly and operation. The standard's adaptability ensures compatibility across international markets, given the global acceptance of DIN standards.

**Comparing DIN 16901 with Other Tolerance Standards**

**ISO Tolerance Standards** While DIN 16901 is Germany-centric, international counterparts like ISO 286 provide similar frameworks. Key differences include:

- Terminology:** ISO uses 'IT grades' as well but with slight variations.
- Tolerance limits:** Numerical deviation ranges may differ for equivalent grades.
- Application scope:** ISO standards are more globally adopted, but DIN remains prevalent in German industry.

**ANSI/ASME Standards** In the United States, ANSI/ASME standards provide tolerance classes for similar applications. Cross-referencing these standards ensures compatibility and understanding in international projects.

**Challenges and Limitations**

Despite its robustness, the application of DIN 16901 faces certain challenges:

- Complexity for newcomers:** The extensive tables and symbols can be daunting.
- Material-specific considerations:** The standard primarily addresses dimensional tolerances, not material behavior or thermal expansion.
- Manufacturing variability:** Real-world deviations can sometimes surpass specified tolerances due to machine limitations or process variations.

Addressing these challenges requires comprehensive training and integration with modern measurement technologies.

**Future Outlook and Developments**

With increasing automation and digital manufacturing, the role of standardized tolerances like DIN 16901 is evolving. Emerging trends include:

- Integration with CAD/CAM software:** Automated tolerance application during design.
- Real-time measurement and feedback systems:** Ensuring adherence to tolerances dynamically.
- Material-specific tolerance adaptations:** Incorporating material properties into standard frameworks.

Ongoing revisions aim to refine and expand DIN 16901, ensuring it remains relevant in Industry 4.0 contexts.

**Conclusion**

The table of tolerances DIN 16901 embodies a foundational element in modern engineering, harmonizing manufacturing precision with functional reliability. Its structured approach to defining permissible deviations fosters quality, efficiency, and interoperability across diverse industries. As manufacturing continues to advance technologically, standards like DIN 16901 will remain vital, guiding engineers and manufacturers toward achieving optimal design and production outcomes. Understanding the intricacies of this standard not only enhances technical competence but also ensures parts and assemblies meet the rigorous demands of today's complex machinery and systems. Whether in designing high-precision instruments or constructing robust structural components, the application of DIN 16901 tolerances is indispensable in the pursuit of excellence.

---

## QuestionAnswer

What is the purpose of the DIN 16901 standard for tables of tolerances?

DIN 16901 provides standardized tolerances for dimensions and geometrical features of metal products, ensuring consistency and quality in manufacturing processes.

Which types of products or industries primarily use the DIN 16901 tolerances?

DIN 16901 is mainly used in metalworking, automotive, machinery, and engineering industries where precise dimensional control is essential.

How do the tolerances in DIN 16901 differ from ISO standards?

While both standards aim to ensure dimensional accuracy, DIN 16901 offers specific tolerances tailored to German and European manufacturing practices, whereas ISO standards are more internationally oriented and sometimes more general.

Where can I find the latest version of the DIN 16901 table of tolerances?

The latest DIN 16901 tables can be purchased or accessed through the official DIN website or authorized standards distributors.

How are the tolerance grades in DIN 16901 categorized?

Tolerance grades in DIN 16901 are categorized based on the precision level, typically ranging from IT01 (highest precision) to IT16 (coarser tolerances).

Can DIN 16901 tolerances be applied to non-metallic materials?

No, DIN 16901 is specifically designed for metallic materials; different standards should be used for plastics or other non-metallic materials.

What is the significance of the 'IT' grades in DIN 16901?

The 'IT' grades (International Tolerance grades) indicate the level of dimensional accuracy, with lower numbers representing tighter tolerances suitable for precision parts.

Are there digital tools available to apply DIN 16901 tolerances in design software?

Yes, several CAD and engineering software programs incorporate DIN 16901 tolerance databases or allow customization of tolerance parameters based on the standard.

How does understanding DIN 16901 tolerances improve manufacturing quality?

Using DIN 16901 tolerances ensures parts meet precise dimensional requirements, reduces scrap and rework, and enhances overall product reliability and interoperability.

Related keywords: tolerance chart DIN 16901, dimensional tolerances DIN 16901, DIN 16901 standards, mechanical tolerances DIN, manufacturing tolerances DIN 16901, engineering tolerances DIN, tolerance classes DIN 16901, metal fitting tolerances DIN, industrial standards DIN 16901, precision tolerances DIN

## Extruded profiles tolerances

**Extruded Profiles Tolerances: Ensuring Precision and Quality in Aluminum and Other Metal Profiles**

In the manufacturing industry, especially within the realm of aluminum and metal profile production, the term extruded profiles tolerances holds significant importance. Tolerances define the permissible limits of variation in dimensions, shape, and surface quality of the extruded profiles, directly impacting their functionality, fit, and aesthetic appeal. Proper understanding and control of these tolerances are crucial for manufacturers, engineers, and end-users to ensure that the final products meet strict quality standards, perform reliably, and maintain cost efficiency. This article provides an in-depth overview of extruded profiles tolerances, exploring their types, standards, factors influencing tolerances, and best practices for quality assurance. Whether you are involved in designing, manufacturing, or specifying extruded profiles, understanding these tolerances is essential for achieving optimal results.

**Understanding Extruded Profiles and Their Tolerances**

Extruded profiles are complex cross-sectional shapes produced by forcing material, most commonly aluminum, through a die of the desired shape. This process allows for high-volume, cost-effective production of components used across industries such as construction, transportation, electronics, and consumer goods. However, due to the nature of extrusion, achieving perfectly precise dimensions is challenging. Variations can occur, making tolerances an essential aspect of quality control. Extruded profiles tolerances specify the acceptable ranges of these variations, ensuring that the profiles will function as intended and fit properly in assemblies.

**Types of Tolerances in Extruded Profiles**

Tolerances in extruded profiles can be broadly categorized based on the aspect they control:

- Dimensional Tolerances** These define the acceptable variation in measurements such as width, height, thickness, and length.
  - Linear Dimensions:** Tolerances on the overall length, width, height, and specific sectional dimensions.
  - Cross-sectional Dimensions:** Variations in the thickness of walls or specific parts of the profile.
- Perpendicularity and Parallelism:** Ensuring features are at correct angles relative to each other.
- Shape Tolerances** Shape tolerances relate to the profile's geometric

accuracy, including:Roundness: Tolerance for deviations from perfect circularity.Squareness: Ensuring right angles are maintained.Flatness: Control over surface flatness to prevent warping or deformation.Surface TolerancesThese address surface quality aspects such as:Surface Finish: Acceptable roughness levels.Surface Defects: Limits on scratches, dents, or other imperfections.Material TolerancesVariations in the material properties, such as:Alloy Composition: Ensuring the alloy remains within specified limits.Hardness and Mechanical Properties: Maintaining consistent strength and flexibility.Standards Governing Extruded Profiles TolerancesTo ensure consistency and quality across the industry, several standards define tolerances for extruded profiles:ASTM StandardsASTM B221: Specification for aluminum alloy extrusions.ASTM B429: Tolerance standards for aluminum extrusions.EN Standards (European Norms)EN 755: Defines tolerances for aluminum and aluminum alloy extrusions.EN 12020: Covers dimensions and tolerances for aluminum profiles.ISO StandardsISO 6362: Specifies tolerances for extruded aluminum profiles.ISO 9001: Quality management standards applicable across manufacturing processes.Industry Best PracticesIn addition to formal standards, industry best practices emphasize tight control over tolerances during production, inspection, and finishing processes to achieve the desired quality.Factors Influencing Extruded Profiles TolerancesVarious factors during manufacturing influence the achievable tolerances:Material PropertiesAlloy Composition: Different alloys have distinct flow characteristics, affecting dimensional stability.Temperature Control: Precise temperature regulation during extrusion impacts shape and size.Die Design and MaintenanceDie Precision: The quality of the die directly influences profile accuracy.Die Wear and Maintenance: Worn dies can cause dimensional deviations.Processing ParametersExtrusion Speed: Faster speeds may lead to dimensional inconsistencies.Cooling Rate: Proper cooling ensures dimensional stability and surface quality.Post-Processing OperationsStretching and Straightening: These processes help correct minor shape deviations.Machining and Finishing: Can be used to achieve tighter tolerances if needed.Achieving and Controlling Tolerances in Extruded ProfilesControlling tolerances involves a combination of process optimization, precise measurement, and quality management:Design ConsiderationsIncorporate realistic tolerance ranges based on industry standards.Design profiles that are less sensitive to dimensional variations.Process OptimizationUse high-quality dies and maintain them regularly.Monitor extrusion parameters closely.Employ controlled cooling and stretching techniques.Measurement and InspectionUse advanced measurement tools such as coordinate measuring machines (CMM), laser scanners, and optical comparators.Conduct regular inspections during and after production to ensure compliance.Quality Management SystemsImplement ISO 9001 or equivalent standards.Maintain detailed records of production and inspection data.Conduct continuous improvement initiatives.

Typical Tolerance Values for Extruded ProfilesWhile specific tolerances depend on industry standards and customer requirements, typical values for aluminum extrusions according to EN 755 or ASTM B429 are as follows:

| Dimension Type | Tolerance Range  | Notes                                      |
|----------------|------------------|--------------------------------------------|
| Length         | ±2 mm to ±5 mm   | Depending on length and profile complexity |
| Width/Height   | ±0.2 mm to ±1 mm | For small to medium profiles               |

|                                                                                                                                                                                                                                                                                                                                                                                                   |  |                    |                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------|----------------------------|
| Wall Thickness                                                                                                                                                                                                                                                                                                                                                                                    |  | ±0.1 mm to ±0.3 mm | Based on profile thickness |
| Circularity (Roundness)                                                                                                                                                                                                                                                                                                                                                                           |  | ±0.1 mm to ±0.3 mm | For round profiles         |
| Flatness                                                                                                                                                                                                                                                                                                                                                                                          |  | 0.2 mm to 0.5 mm   | Depending on profile size  |
| [Note: Always refer to specific standards and customer specifications for precise tolerances.                                                                                                                                                                                                                                                                                                     |  |                    |                            |
| Importance of Tolerances in Application and Performance                                                                                                                                                                                                                                                                                                                                           |  |                    |                            |
| Tight tolerances are vital for various reasons:                                                                                                                                                                                                                                                                                                                                                   |  |                    |                            |
| Assembly Fit: Ensures components fit together seamlessly, reducing assembly time and costs.                                                                                                                                                                                                                                                                                                       |  |                    |                            |
| Structural Integrity: Proper dimensions prevent weak points or deformation.                                                                                                                                                                                                                                                                                                                       |  |                    |                            |
| Aesthetic Quality: Consistent surface and shape improve visual appeal.                                                                                                                                                                                                                                                                                                                            |  |                    |                            |
| Functionality: Precise profiles enhance the performance of products like heat sinks, frames, or structural supports.                                                                                                                                                                                                                                                                              |  |                    |                            |
| Cost Efficiency: Maintaining tolerances reduces rework, scrap, and warranty claims.                                                                                                                                                                                                                                                                                                               |  |                    |                            |
| Conclusion                                                                                                                                                                                                                                                                                                                                                                                        |  |                    |                            |
| Extruded profiles tolerances are a fundamental aspect of quality control in the manufacturing of aluminum and other metal profiles. From understanding the types of tolerances to adhering to industry standards, controlling influencing factors, and implementing best practices, manufacturers can produce high-quality profiles that meet stringent specifications and customer expectations. |  |                    |                            |
| By paying close attention to tolerances during design, production, and inspection stages, companies can ensure their extruded profiles deliver optimal performance, durability, and aesthetic appeal. As industries continue to demand precision and reliability, a comprehensive understanding and diligent management of tolerances remain essential for success in extrusion manufacturing.    |  |                    |                            |
| Keywords for SEO Optimization:                                                                                                                                                                                                                                                                                                                                                                    |  |                    |                            |
| Extruded profiles tolerances                                                                                                                                                                                                                                                                                                                                                                      |  |                    |                            |
| Aluminum extrusion tolerances                                                                                                                                                                                                                                                                                                                                                                     |  |                    |                            |
| Industry standards for extrusions                                                                                                                                                                                                                                                                                                                                                                 |  |                    |                            |
| Profile dimension control                                                                                                                                                                                                                                                                                                                                                                         |  |                    |                            |
| Extrusion quality assurance                                                                                                                                                                                                                                                                                                                                                                       |  |                    |                            |
| Tolerance management in manufacturing                                                                                                                                                                                                                                                                                                                                                             |  |                    |                            |
| Precise extruded profiles                                                                                                                                                                                                                                                                                                                                                                         |  |                    |                            |
| Surface finish tolerances                                                                                                                                                                                                                                                                                                                                                                         |  |                    |                            |
| Geometric tolerances aluminum profiles                                                                                                                                                                                                                                                                                                                                                            |  |                    |                            |
| Extrusion process quality                                                                                                                                                                                                                                                                                                                                                                         |  |                    |                            |

Extruded Profiles Tolerances: An Expert Guide to Precision and Quality

In the world of manufacturing and engineering, extruded profiles are fundamental components used across a multitude of sectors—from construction and automotive to aerospace and consumer goods. The integrity of these profiles, especially their dimensional accuracy, directly impacts the performance, fit, and longevity of the final products. Central to this accuracy are tolerances, which define the permissible deviations from specified dimensions during the extrusion process. Understanding extruded profiles tolerances is essential for manufacturers, designers, and quality assurance professionals aiming to optimize quality, reduce waste, and ensure compliance with industry standards. This article offers an in-depth exploration of extruded profiles tolerances, covering their significance, the types and standards, factors influencing tolerances, measurement techniques, and best practices for managing and achieving desired precision.

Understanding Extruded Profiles and Their Tolerances

What Are Extruded Profiles?

Extruded profiles are continuous lengths of material—commonly aluminum, plastics, or other metals—produced by forcing raw material through a shaped die. The result is a profile with a consistent cross-sectional shape, which can range from simple shapes like rods and tubes to complex, intricate geometries used in specialized applications. Key characteristics of extruded profiles include:

Uniform cross-section: Ensuring



consistent dimensions along the length. Material properties: Depending on the material, properties such as strength, weight, and corrosion resistance vary. Dimensional accuracy: Critical for assembly, aesthetic appeal, and performance.

### The Role of Tolerances in Extruded Profiles

Tolerances specify the acceptable range of variation from the nominal (design) dimensions of an extruded profile. They are vital because:

- Ensuring fit and function:** Precise tolerances guarantee that profiles will fit with other components, reducing assembly issues.
- Maintaining quality standards:** Consistency in dimensions reflects manufacturing quality.
- Reducing waste and rework:** Knowing acceptable deviations helps optimize production and minimize scrap.
- Meeting industry and customer specifications:** Many industries impose strict tolerances to ensure safety and performance.

In essence, tolerances act as the boundary lines within which the manufacturing process must operate to produce high-quality, reliable extruded profiles.

### Types of Tolerances in Extruded Profiles

Extruded profiles are subject to various types of tolerances, which can be classified based on the dimension type, measurement method, and the aspect of the profile they control.

#### Dimensional Tolerances

These specify permissible deviations in linear dimensions such as height, width, thickness, and diameter. Examples include:

- Linear dimensions:** Length, width, height, wall thickness.
- Angular dimensions:** Angles between surfaces in complex profiles.
- Perpendicularity and flatness:** Ensuring surfaces are within specified limits to avoid assembly issues.

#### Profile Tolerances

These relate to the overall shape and geometric features of the profile, including:

- Straightness:** The deviation of a line from being perfectly straight.
- Conicity:** Variations from a conical shape, especially in tapered profiles.
- Roundness and circularity:** For tubular or round profiles.
- Symmetry and parallelism:** Critical in assemblies requiring precise alignment.

#### Surface Tolerances

Surface quality impacts both aesthetics and function. Surface tolerances specify:

- Surface roughness:** The texture of the profile surface.
- Surface flatness and finish:** For mating surfaces or those requiring specific aesthetic qualities.
- Defects:** Limits on scratches, dents, or other imperfections.

#### Material and Functional Tolerances

In some cases, tolerances extend to material properties or functional features, such as:

- Hole diameters or slots:** For assembly purposes.
- Weight tolerances:** Especially relevant in aerospace and transportation industries.

### Industry Standards and Tolerance Classes

To standardize quality and facilitate communication, various industry organizations have established guidelines and classes of tolerances for extruded profiles. Familiarity with these standards ensures compliance and consistent quality.

#### ISO Standards

The International Organization for Standardization (ISO) provides comprehensive standards, such as ISO 2768, which categorize tolerances into classes:

- Fine (f):** For applications demanding high precision.
- Medium (m):** Balanced tolerance for general use.
- Coarse (c):** For less critical components or where larger deviations are permissible.
- Very coarse (v):** For rough manufacturing or structural applications.

ISO standards specify tolerances for dimensions, flatness, straightness, and more, tailored to the material and profile type.

#### European Standards (EN)

European Norms (EN) specify tolerances for aluminum profiles, particularly EN 755-9, which details dimensional tolerances for aluminum extrusions. These standards specify:

- Dimensional tolerances:** For widths, heights, thicknesses.
- Geometric tolerances:** Straightness, squareness, and flatness.

#### ASTM and Other Regional Standards

In North America, ASTM standards like ASTM B221 cover aluminum extrusions, including tolerances. These standards are often referenced by manufacturers and clients to ensure quality.

### Tolerance Classes for Aluminum Extrusions

For

example, aluminum extrusions are usually categorized into classes such as: Class 1 (Close Tolerance): For precision applications, with tight tolerances. Class 2 (Standard Tolerance): For general purposes. Class 3 (Open Tolerance): For structural or non-critical applications. Each class specifies maximum permissible deviations in dimensions and shape.

**Factors Influencing Extruded Profiles Tolerances**

**Achieving the desired tolerances depends on multiple interconnected factors:**

- Material Properties**
  - Flow behavior:** Materials with low flow stress (like aluminum) are easier to control within tight tolerances.
  - Thermal expansion:** Variations in temperature during extrusion can cause dimensional changes.
  - Material consistency:** Variations in alloy composition or impurities can affect dimensional stability.
- Die Design and Manufacturing**
  - Die precision:** The quality and accuracy of the die directly influence the profile's dimensions.
  - Die wear:** Over time, dies wear out, leading to dimensional deviations.
  - Die temperature control:** Proper temperature management ensures consistent flow and shape.
- Extrusion Process Parameters**
  - Extrusion speed:** Higher speeds can lead to greater variations if not properly managed.
  - Pressure control:** Adequate pressure ensures material fills the die uniformly.
  - Cooling rate:** Uniform cooling minimizes warping and dimensional changes.
- Post-Extrusion Processes**
  - Stretching and straightening:** These processes can correct minor deviations but also introduce additional variance if not controlled.
  - Heat treatment:** Changes in material properties during heat treatment can affect dimensions.
- Environmental Conditions**
  - Temperature and humidity:** Variations can influence material behavior during manufacturing and storage.
  - Handling and storage:** Mechanical stresses during handling can cause deformation.

**Measuring and Verifying Tolerances**

Accurate measurement is fundamental to verifying that extruded profiles meet specified tolerances.

**Measurement Techniques**

- Calipers and Micrometers:** Suitable for straightforward dimensions like width, thickness, or diameter.
- Coordinate Measuring Machines (CMMs):** Offer high precision for complex profiles, capturing multiple dimensions simultaneously.
- Optical and Laser Scanning:** Useful for surface and geometric analysis, especially for large or intricate profiles.
- Profile Projectors:** For visual inspection of shape and form deviations.

**Measurement Best Practices**

- Calibration:** Instruments must be regularly calibrated against known standards.
- Consistent measurement points:** Take measurements at multiple, standardized points along the profile.
- Environmental control:** Conduct measurements in controlled environments to minimize temperature and humidity effects.
- Documentation and record-keeping:** Maintain detailed records for quality assurance and traceability.

**Interpreting Results**

Compare measurements against the tolerance limits specified in standards or drawings. Identify deviations that exceed acceptable ranges and determine root causes. Use statistical tools (e.g., SPC charts) for process control and continuous improvement.

**Managing and Achieving Tolerances: Best Practices**

To consistently produce extruded profiles within specified tolerances, manufacturers should adopt comprehensive strategies:

- Design for Tolerance**
  - Collaborate early:** Engage with designers to understand critical dimensions and functional requirements.
  - Set realistic tolerances:** Balance precision needs with manufacturing capabilities to avoid unnecessary costs.
  - Design profiles with manufacturability in mind:** Simplify complex geometries where possible.
- Optimize Manufacturing Processes**
  - Maintain die quality:** Regular inspection and maintenance of dies prevent deviations.
  - Control process parameters:** Implement tight control over temperature, pressure, and speed.
  - Implement process automation:** Use sensors and automated controls to enhance consistency.
- Quality Control and Continuous**

ImprovementRegular inspection and testing: Use measurement techniques to verify dimensional accuracy.Feedback loops: Use measurement data

## QuestionAnswer

What are the standard tolerances for extruded profiles in the industry?

Standard tolerances for extruded profiles typically follow guidelines such as ISO 2768 or ASTM standards, which specify permissible deviations in dimensions like width, height, and wall thickness. Exact tolerances depend on the profile's dimensions and material but generally range from  $\pm 0.1\text{mm}$  to  $\pm 0.5\text{mm}$  for precision profiles.

How do tolerances affect the assembly and performance of extruded aluminum profiles?

Tighter tolerances ensure better fit and alignment during assembly, reducing the need for additional machining and enhancing structural integrity. Conversely, looser tolerances may lead to gaps or misalignments, potentially compromising performance or requiring post-processing adjustments.

What factors influence the tolerances achievable in extruded profiles?

Factors include material properties, extrusion equipment precision, die design, extrusion speed, and cooling conditions. Proper control of these variables helps achieve consistent tolerances and high-quality profiles.

Can tolerances be customized for specific applications of extruded profiles?

Yes, tolerances can be customized based on the application's requirements. Manufacturers often offer tighter or looser tolerances depending on whether the profile is used for structural, decorative, or functional purposes, sometimes at an added cost.

What testing methods are used to verify extruded profile tolerances?

Common verification methods include coordinate measuring machines (CMM), calipers, micrometers, and optical comparators. These tools measure critical dimensions to ensure they fall within specified tolerance ranges, ensuring quality and consistency.

Related keywords: extruded profiles, dimensional tolerances, machining tolerances, profile

accuracy, manufacturing tolerances, extrusion standards, geometric tolerances, quality control, profile measurement, tolerance specifications

## Normas din 19704

normas din 19704 são um conjunto de diretrizes técnicas estabelecidas pela norma alemã DIN (Deutsches Institut für Normung) que visam garantir a qualidade, segurança e eficiência em processos industriais, especialmente na área de produção e controle de qualidade. Essas normas são amplamente reconhecidas internacionalmente e desempenham um papel fundamental na padronização de procedimentos técnicos, contribuindo para a harmonização de práticas industriais e a facilitação do comércio global. Neste artigo, exploraremos detalhadamente o que são as normas DIN 19704, suas aplicações, benefícios e como elas influenciam diferentes setores industriais.

**O que são as normas DIN 19704?** Definição e origem As normas DIN 19704 são um conjunto de especificações técnicas emitidas pelo Deutsches Institut für Normung, uma organização alemã responsável pela elaboração de normas técnicas. Publicadas inicialmente na década de 1970, essas normas têm como objetivo estabelecer requisitos claros para processos de fabricação, controle de qualidade, testes e inspeções de materiais e produtos. A norma DIN 19704 é uma das várias normas DIN dedicadas a diferentes setores industriais, consolidando-se como uma referência confiável para empresas que buscam conformidade técnica e eficiência operacional.

**Objetivos principais** As normas DIN 19704 visam:

- Padronizar procedimentos técnicos e de inspeção;
- Garantir a qualidade e segurança de produtos e processos;
- Facilitar a comunicação técnica entre diferentes organizações e países;
- Reduzir custos operacionais através de processos padronizados;
- Promover a inovação e melhorias contínuas na indústria.

**Aplicações das normas DIN 19704**

**Indústrias beneficiadas** A norma DIN 19704 encontra aplicação em diversos setores industriais, incluindo:

- Metalurgia e fabricação de componentes metálicos;
- Indústria automotiva;
- Indústria de plásticos e polímeros;
- Setor de construção civil;
- Indústria eletrônica e de dispositivos elétricos;
- Indústria de petróleo e gás;
- Setor aeroespacial.

**Processos cobertos** A norma abrange várias etapas e processos industriais, tais como:

- Controle de qualidade de matérias-primas;
- Procedimentos de testes e inspeções de produtos;
- Especificações para equipamentos de medição e calibração;
- Requisitos para documentação técnica;
- Procedimentos de manutenção e inspeção de equipamentos;
- Normas de segurança e ergonomia.

**Principais requisitos da norma DIN 19704**

**Especificações técnicas** A norma detalha critérios técnicos para diferentes tipos de materiais e produtos, incluindo tolerâncias dimensionais, propriedades físicas e químicas, além de requisitos de desempenho. Essas especificações garantem que os produtos atendam às expectativas de qualidade e durabilidade.

**Procedimentos de inspeção e teste** A DIN 19704 define métodos padronizados para realização de inspeções visuais, testes não destrutivos, testes de resistência e outros procedimentos que verificam a conformidade do produto com as especificações técnicas estabelecidas.

**Documentação e registros** A norma enfatiza a importância de manter registros detalhados de inspeções, testes e calibrações, garantindo rastreabilidade e facilitando

auditorias de qualidade. Requisitos de calibração Instrumentos de medição utilizados nos processos devem estar calibrados conforme critérios específicos para assegurar precisão e confiabilidade dos resultados. Benefícios de seguir as normas DIN 19704 Melhoria na qualidade do produto Ao adotar as diretrizes da norma, as empresas podem alcançar um padrão consistente de qualidade, reduzindo retrabalhos, desperdícios e devoluções de produtos. Conformidade regulatória Seguir as normas DIN 19704 ajuda as organizações a atenderem requisitos de regulamentações nacionais e internacionais, facilitando a exportação e entrada em mercados globais. Redução de custos Padronizar processos e procedimentos promove maior eficiência operacional, minimizando erros e perdas financeiras. Segurança aprimorada A implementação das normas assegura que os produtos e processos atendam aos requisitos de segurança, protegendo trabalhadores e consumidores. Facilidade de auditoria e certificação Empresas que adotam as normas DIN 19704 possuem maior facilidade na obtenção de certificações de qualidade, como ISO 9001, e em processos de auditoria por órgãos reguladores. Implementação das normas DIN 19704 Etapas para adoção A implementação efetiva da norma envolve etapas como: Treinamento das equipes técnicas e de inspeção; Revisão dos processos existentes para alinhamento às especificações; Calibração de instrumentos de medição; Documentação e registro de procedimentos; Auditorias internas para verificar conformidade. Desafios comuns Apesar dos benefícios, as empresas podem enfrentar desafios como: Investimento inicial em treinamento e equipamentos; Resistência à mudança de procedimentos; Necessidade de atualização contínua conforme evoluções na norma; Integração com outras normas e padrões internacionais. Normas similares e complementares Normas DIN relacionadas A norma DIN 19704 pode ser complementada por outras normas DIN, como: DIN EN ISO 9001 ? Sistemas de gestão da qualidade; DIN 16901 ? Testes não destrutivos; DIN 54231 ? Controle de qualidade de materiais metálicos; DIN 17025 ? Requisitos gerais para a competência de laboratórios de ensaio e calibração. Normas internacionais compatíveis A compatibilidade com normas internacionais, como ISO e ASTM, facilita a integração de processos e a comercialização global dos produtos certificados de acordo com DIN 19704. Conclusão As normas DIN 19704 representam um marco importante na padronização de processos industriais, contribuindo para a melhoria contínua da qualidade, segurança e eficiência nas operações. Sua adoção é fundamental para empresas que desejam manter-se competitivas no mercado global, garantindo conformidade regulatória e satisfação do cliente. Investir na implementação dessas normas também promove uma cultura de qualidade, inovação e responsabilidade social, aspectos essenciais para o sucesso sustentável de qualquer organização industrial. Se você busca aprimorar seus processos e garantir a conformidade técnica, entender e aplicar as normas DIN 19704 é um passo estratégico que certamente trará resultados positivos a longo prazo.

Normas DIN 19704: An In-Depth Analysis of Its Development, Application, and Industry Impact In the realm of industrial standards and quality assurance, the Normas DIN 19704 series stands out as a fundamental set of guidelines that have significantly shaped practices within specific sectors. Originating from the Deutsches Institut für Normung (DIN), Germany's national standards

organization, DIN 19704 embodies a comprehensive framework aimed at ensuring consistency, safety, and efficiency in particular industrial processes. This article provides an extensive examination of DIN 19704, exploring its historical development, core specifications, application scope, and the broader implications for industries that adhere to its mandates.

### Historical Context and Development of DIN 19704

Understanding the genesis of DIN 19704 necessitates a brief overview of the evolution of industrial standards in Germany and Europe. Post-World War II reconstruction and rapid industrialization in the latter half of the 20th century prompted a concerted effort to establish clear, reliable standards that could facilitate international trade and technological advancement.

### DIN's Role in Standardization

The Deutsches Institut für Normung (DIN), established in 1917, has been pivotal in developing technical standards across various sectors. By the mid-20th century, DIN had begun formalizing standards that addressed emerging industrial needs, with the aim to promote interoperability, safety, and quality.

### Emergence of DIN 19704

DIN 19704 was introduced in the late 20th century as part of this broader effort. Its initial focus was to standardize procedures related to a specific manufacturing process or material—most notably, the handling and processing of a particular class of products or components. Over subsequent years, the standard underwent several revisions to incorporate technological advancements, safety considerations, and feedback from industry practitioners.

### Key Milestones

- First Release (Year):** Establishment of foundational specifications.
- Revisions (Years):** Updates to address technological changes, safety, and environmental concerns.
- Current Version:** Incorporates modern best practices and aligns with European and international standards such as ISO.

### Core Specifications and Technical Content of DIN 19704

While the specifics of DIN 19704 vary depending on its exact focus area—be it materials, processes, or testing procedures—it generally encompasses several core components designed to guide industry practices.

#### Scope and Purpose

Defines the intended applications, the types of materials or processes covered, and the overarching objectives such as ensuring safety, consistency, and quality.

#### Definitions and Terminology

Establishes standardized vocabulary to ensure clarity and uniform understanding among practitioners and stakeholders.

#### Material and Process Specifications

Outlines detailed technical requirements, including:

- Material properties** (e.g., chemical composition, mechanical strength)
- Processing parameters** (temperature, pressure, duration)

#### Tolerances and dimensional criteria

Surface qualities and finishing standards

#### Testing and Inspection Procedures

Provides protocols for verifying compliance, such as:

- Sampling methods**
- Testing methods** (e.g., tensile tests, hardness tests)
- Acceptance criteria**

#### Documentation and reporting standards

**Safety and Environmental Considerations** Addresses safety protocols during manufacturing and testing, as well as environmental impact mitigation measures.

#### Marking and Documentation

Specifies labeling requirements, traceability, and record-keeping practices to facilitate quality assurance.

### Application Scope of DIN 19704

The applicability of DIN 19704 spans several industries and sectors, often tailored to regional or sector-specific needs.

- Manufacturing of Metallic Components:** Ensuring uniformity in production processes for steel, aluminum, and other metals.
- Quality Control in Engineering:** Establishing benchmarks for materials used in construction, automotive, and aerospace industries.
- Material Certification:** Providing a reference framework for issuing material certificates and compliance documentation.
- Research and Development:** Guiding experimental procedures and testing methodologies.

### Industries Most Impacted Include:

Mechanical

engineeringAutomotive manufacturingAerospace and defenseConstruction and infrastructureShipbuildingImplications for Industry and Standardization PracticeThe adoption and adherence to DIN 19704 carry numerous benefits, alongside challenges that industry stakeholders must navigate.

**Benefits**

- Enhanced Product Quality:** Standardized procedures lead to consistent, high-quality outcomes.
- Increased Safety:** Clear safety protocols reduce risks to workers and end-users.
- Market Acceptance:** Certification under DIN standards facilitates acceptance in European and global markets.
- Interoperability:** Harmonized specifications enable components and materials from different suppliers to work seamlessly together.

**Challenges and Criticisms**

- Implementation Costs:** Small and medium-sized enterprises (SMEs) may face financial and logistical hurdles in complying.
- Rigidity vs. Innovation:** Strict adherence might hinder rapid innovation or adaptation to new technologies.
- Regional Limitations:** While DIN standards are influential in Europe, global companies must also align with other standards (e.g., ISO, ASTM).

**The Role of Continuous Improvement**

DIN 19704, like most standards, is a living document that evolves through periodic review and stakeholder feedback. This dynamic approach ensures the standard remains relevant amidst technological progress and industry shifts.

**Global Influence and Compatibility with Other Standards**

While DIN standards primarily serve the German and European markets, their influence extends internationally, particularly through harmonization efforts.

**Alignment with ISO and IEC Standards**

Many aspects of DIN 19704 are aligned with ISO standards, facilitating international trade. Compatibility ensures that products certified under DIN can be recognized globally.

**Mutual Recognition and Certification**

Industry bodies often collaborate to establish mutual recognition agreements. Companies benefit from streamlined certification processes and broader market access.

**Challenges in Global Standardization**

- Variations in regional regulations
- Differences in testing methodologies
- Intellectual property considerations

**Conclusion: The Significance of DIN 19704 in Modern Industry**

The Normas DIN 19704 series exemplifies the critical role of standardized frameworks in underpinning industrial excellence. Its comprehensive specifications, rooted in decades of development, serve as a cornerstone for ensuring quality, safety, and interoperability across multiple sectors. As industries evolve with new materials, technologies, and environmental demands, DIN 19704's adaptability and ongoing revisions will be vital to maintaining its relevance.

For stakeholders—manufacturers, regulators, and quality assurance professionals—understanding the nuances of DIN 19704 is essential. Beyond compliance, it represents a commitment to excellence and a strategic advantage in competitive markets. Moving forward, the continued integration of DIN standards with international protocols will further bolster their significance, fostering innovation while safeguarding safety and quality standards worldwide.

In summary, the Normas DIN 19704 are more than mere technical documents; they are a reflection of Germany's rigorous approach to industrial quality and safety. Their influence, both regionally and globally, underscores the importance of standardized practices in achieving sustainable and competitive industry.

## QuestionAnswer

¿Qué es la norma DIN 19704 y para qué se utiliza?

La norma DIN 19704 es una especificación alemana que establece los requisitos para la medición y evaluación de la resistencia al impacto en materiales y productos, asegurando su calidad y durabilidad.

¿Cuál es la importancia de seguir la norma DIN 19704 en la industria?

Seguir la norma DIN 19704 garantiza que los productos cumplan con estándares internacionales de resistencia y seguridad, facilitando su aceptación en mercados globales y reduciendo riesgos de fallos.

¿Qué métodos de prueba contempla la norma DIN 19704?

La norma DIN 19704 especifica métodos de impacto, como ensayos de caída y golpes, para evaluar la resistencia del material o producto ante impactos mecánicos.

¿Cómo afecta la norma DIN 19704 a la certificación de productos?

Cumplir con la DIN 19704 es fundamental para obtener certificaciones de calidad en productos, ya que demuestra que cumplen con los requisitos de resistencia y durabilidad establecidos por la norma.

¿Qué cambios recientes se han hecho en la norma DIN 19704?

Las actualizaciones recientes de la norma DIN 19704 han incluido métodos de prueba más precisos y requisitos ampliados para diferentes tipos de materiales, reflejando avances tecnológicos y necesidades del mercado.

¿En qué sectores es más relevante la aplicación de la norma DIN 19704?

La norma DIN 19704 es especialmente relevante en sectores como la construcción, fabricación de productos plásticos, metálicos y componentes electrónicos, donde la resistencia al impacto es crucial para la seguridad y rendimiento.

Related keywords: normas DIN 19704, especificaciones técnicas, estándares alemanes, seguridad eléctrica, cables eléctricos, instalación eléctrica, normas industriales, cableado estructurado, códigos de construcción, requisitos de seguridad



## British standards en 1090 fabrication tolerance

British Standards EN 1090 Fabrication Tolerance is a crucial guideline for manufacturers and fabricators involved in the structural steel and aluminum industries within the UK and Europe. It sets out the acceptable deviations and permissible limits during the fabrication process, ensuring safety, quality, and consistency across structural components. Understanding these tolerances is essential for engineers, fabricators, and quality inspectors to meet regulatory requirements, achieve precise assembly, and maintain high standards of structural integrity. This article delves into the key aspects of British Standards EN 1090 fabrication tolerance, exploring its scope, specific tolerances, and practical implications for fabrication projects.

### Overview of British Standards EN 1090

British Standards EN 1090, formally known as "Execution of steel structures and aluminum structures," is a comprehensive set of regulations that specify the requirements for the design, fabrication, and erection of structural components. It harmonizes with European standards and is a fundamental part of compliance for structural steel and aluminum fabrications.

### Scope and Purpose of EN 1090

EN 1090 aims to ensure that structural elements are fabricated consistently, safely, and according to recognized quality benchmarks. It covers:

- Manufacturing tolerances for steel and aluminum structures
- Material specifications and quality requirements
- Welding procedures and inspection criteria
- Surface treatment standards

Compliance with EN 1090 is mandatory for CE marking of structural components, facilitating free trade across European markets.

### Fabrication Tolerance in EN 1090

Fabrication tolerance refers to the permissible variation in dimensions, angles, and positions during the manufacturing process. Adherence to these tolerances ensures that parts fit correctly during assembly, maintain structural integrity, and meet safety standards.

### Types of Tolerances Covered

EN 1090 specifies tolerances across various aspects of fabrication, including:

- Dimensional tolerances
- Angular tolerances
- Position tolerances
- Surface quality tolerances

Each type has defined limits to prevent deviations that could compromise the safety or functionality of the structure.

### Dimensional Tolerances

Dimensional tolerances refer to the acceptable deviation in length, width, and thickness of fabricated components.

### Key Standards for Dimensional Tolerances

The tolerances depend on the type of element and its dimensions, but general guidelines include:

- Linear dimensions typically have a tolerance of  $\pm 3$  mm for lengths up to 3000 mm. For larger dimensions, the tolerance may be  $\pm 5$  mm or more.
- Thickness tolerances are typically within  $\pm 0.5$  mm, depending on material and process.

These tolerances ensure parts can be assembled accurately without excessive gaps or interference.

### Angular Tolerances

Angular tolerances specify the permissible deviation from specified angles, critical for components like brackets and beams.

### Standard Angular Tolerance Limits

According to EN 1090:

- Angles up to  $45^\circ$  generally have a tolerance of  $\pm 2^\circ$ .
- Angles greater than  $45^\circ$  may have tolerances up to  $\pm 3^\circ$ .

Manufacturing processes like welding can influence angular accuracy and may require additional controls. Maintaining angular tolerances is essential for ensuring proper fit and load distribution.

### Position Tolerances

Position tolerances relate to the placement of holes, welds, or features relative to the intended location.

### Hole and Feature Position Tolerances

EN 1090 specifies:

- Hole positions should typically be within  $\pm 2$  mm for small components and up to  $\pm 3$  mm for larger elements.
- Weld bead placement should be within a tolerance of  $\pm 2$  mm, depending on the welding process.

Misalignments beyond these limits can cause assembly issues.

and weaken the structure. Precise control of feature positioning enhances assembly efficiency and structural performance.

### Surface Quality and Finish Tolerances

The surface quality of fabricated components impacts both aesthetics and corrosion resistance.

### Standard Surface Tolerances

EN 1090 mandates: Surface irregularities should be within 1-2 mm, depending on the process and material. Weld surfaces should be smooth, with minimal overlaps or undercuts, within specified roughness values. Protective coatings should adhere uniformly without defects that exceed tolerances. Maintaining surface tolerances improves the durability and visual appeal of structures.

### Practical Implications of EN 1090 Fabrication Tolerance

Adherence to these tolerances influences multiple aspects of fabrication projects, from design to installation.

### Design and Engineering

Engineers must account for fabrication tolerances during the design phase to ensure components will fit together correctly during assembly. Incorporating tolerance allowances into CAD models helps prevent costly rework.

### Manufacturing Processes

Manufacturers should select appropriate machining, welding, and finishing techniques to meet specified tolerances. Regular calibration and quality control checks are vital.

### Quality Control and Inspection

Inspection procedures, such as coordinate measuring machines (CMM) and visual assessments, verify compliance with EN 1090 tolerances. Non-conformance can lead to rejection, rework, or structural issues.

### Impact on Safety and Compliance

Strict adherence to fabrication tolerances ensures that structures can withstand loads and environmental stresses safely. Non-compliance can result in structural failure, legal liabilities, and delays.

### Conclusion

Understanding and implementing the fabrication tolerances outlined in British Standards EN 1090 is fundamental for delivering high-quality, safe, and compliant structural components. From dimensional and angular tolerances to surface finish, each aspect plays a vital role in the overall integrity and functionality of steel and aluminum structures. By meticulously applying these standards, fabricators can ensure their work meets regulatory requirements, enhances safety, and achieves precise, reliable assembly. Whether you are involved in design, manufacturing, or inspection, a thorough knowledge of EN 1090 fabrication tolerances is essential for successful project execution in the UK and European markets.

## British Standards EN 1090 Fabrication Tolerance: An In-Depth Review

Understanding the intricacies of fabrication tolerances outlined in British Standards EN 1090 is essential for anyone involved in structural steelwork, fabrication, or construction. EN 1090 is a comprehensive standard that governs the execution of steel and aluminum structures, ensuring safety, quality, and consistency across projects. At its core, the standard specifies acceptable deviations during manufacturing processes—collectively known as fabrication tolerances—that directly influence the fit, performance, and longevity of structural components. This review aims to dissect the key aspects of EN 1090 fabrication tolerances, offering insights into their application, benefits, challenges, and best practices.

### Introduction to EN 1090 and Its Relevance to Fabrication Tolerances

EN 1090 is a European standard adopted by the UK as part of compliance with Construction Product Regulations. It consolidates requirements for the design, fabrication, and erection of steel and aluminum structures. A central component of this standard pertains to fabrication tolerances—parameters that

specify permissible deviations from specified dimensions and geometry during manufacturing. Fabrication tolerances are critical because they:

- Ensure components fit together correctly during assembly.
- Maintain structural integrity and safety.
- Reduce rework, waste, and costs.
- Facilitate consistent quality across different fabricators and projects.

The EN 1090 standards differentiate between various classes of tolerances depending on the type of component, its function, and the intended application. These are typically categorized into general tolerances and specific tolerances for particular geometrical features.

### Scope and Application of Fabrication Tolerances in EN 1090

EN 1090 applies primarily to welded structures but also encompasses other fabrication methods. The standard specifies tolerances for:

- Dimensional deviations (length, width, height)
- Geometrical deviations (flatness, straightness, squareness)
- Angles and bevels
- Welding and joint preparations
- Surface quality and finishing

The tolerances are applicable during various stages of fabrication, from cutting and welding to finishing and assembly. They are set to ensure that fabricated components can be assembled accurately on-site, meeting design specifications without excessive adjustments.

### Classification of Tolerances in EN 1090

EN 1090 introduces different classes of fabrication tolerances, categorized mainly into:

- Execution Classes (EXC1, EXC2, EXC3)**

**EXC1 (Basic Tolerance):** For standard structures with low requirements for precision, such as industrial warehouses or general-purpose frameworks.

**EXC2 (Intermediate Tolerance):** Suitable for architectural structures or where higher precision is required.

**EXC3 (High Precision):** For critical structures, architectural façades, or projects requiring tight tolerances.

The class selected influences the permissible deviations, with higher classes demanding stricter adherence.

### Geometrical Tolerances

These specify acceptable deviations for specific features:

- Flatness
- Straightness
- Squareness
- Perpendicularity
- Parallelism

Each feature has specified maximum deviations depending on the execution class.

### Key Fabrication Tolerance Parameters in EN 1090

A detailed understanding of the specific parameters is vital for compliance. Below are some common tolerance parameters:

- Dimensional Tolerances**
  - Length:** Typically  $\pm 3$  mm for standard lengths up to 6 meters; tighter tolerances apply for shorter lengths or higher execution classes.
  - Width and height:** Similar tolerances apply, with allowances depending on the component size and class.
- Angular Tolerances**
  - Angles:** Usually permitted up to  $\pm 2^\circ$ , but stricter tolerances are specified for high-precision structures.
- Welding and Joint Tolerances**
  - Bevel angles:** Tolerance of  $\pm 2^\circ$ , ensuring weld accessibility.
  - Weld sizes:** Allowed deviations depend on the weld type and class.
- Surface**
  - Flatness and Straightness:** Flatness deviations typically range from 3 mm to 10 mm over a 2-meter length, depending on class. Straightness tolerances are often within 2-5 mm over specified lengths.

### Application and Implementation of EN 1090 Fabrication Tolerances

Implementing the tolerances outlined in EN 1090 requires precise measurement, skilled craftsmanship, and quality control procedures. Fabricators typically utilize:

- Laser scanning
- Coordinate measuring machines (CMM)
- Optical comparators
- Straightedges and dial gauges

Adhering to the specified tolerances during manufacturing minimizes the risk of misalignment, rework, and structural deficiencies.

### Best Practices for Compliance

- Clear Communication:** Precise drawings with tolerance specifications.
- Training:** Skilled operators familiar with EN 1090 requirements.
- Quality Control:** Regular inspections and documentation.
- Material Selection:** Using materials conforming to the specified standards to reduce variability.

### Pros and Cons of EN 1090 Fabrication

**Tolerances Pros:** Consistency and Reliability: Standardized tolerances assure uniformity across projects and fabricators. Enhanced Safety: Precise tolerances prevent misfits that can compromise structural integrity. Cost Efficiency: Reducing rework and waste through accurate fabrication. Facilitation of Erection: Components that conform to tolerances fit together smoothly, speeding up assembly. **Cons:** Tight Tolerances Increase Costs: Achieving higher precision can require advanced equipment and skilled labor, increasing manufacturing costs. Potential for Over-Engineering: Strict tolerances may be unnecessary for less critical components, leading to unnecessary expenditure. Measurement Challenges: Accurate assessment of tolerances demands sophisticated tools and expertise. Material Limitations: Variability in materials can make strict tolerances difficult to achieve consistently.

**Challenges in Applying EN 1090 Tolerances** While the standard provides clear guidelines, practical challenges often arise: Variability in Fabrication Conditions: Environmental factors like temperature and humidity can influence material behavior. Measurement Accuracy: Ensuring measurement tools are calibrated and operators are trained. Supply Chain Factors: Quality of raw materials and components from suppliers. Erection Tolerances: Differences between fabrication and erection tolerances can impact final alignment. Addressing these challenges requires a comprehensive quality management system, ongoing staff training, and close coordination among design, fabrication, and erection teams.

**Conclusion and Future Outlook** The British Standards EN 1090 fabrication tolerance provisions serve as a cornerstone for ensuring quality, safety, and efficiency in steel and aluminum structure fabrication. By establishing clear, graded tolerances aligned with the importance and complexity of the project, the standard facilitates a balance between precision and practicality. As construction methods evolve, with increasing adoption of digital fabrication, automation, and advanced measurement technologies, adherence to EN 1090 tolerances is becoming more precise and streamlined. Future developments may see tighter tolerances, more automated quality control processes, and enhanced integration between design and manufacturing. For stakeholders in the construction and manufacturing sectors, a thorough understanding of EN 1090 fabrication tolerances is invaluable. It ensures that projects meet regulatory requirements, achieve high quality standards, and deliver safe, durable structures. Embracing the standard's provisions and integrating best practices will continue to be essential for success in the evolving landscape of structural fabrication. In summary, the British Standards EN 1090 fabrication tolerance framework provides a structured approach to achieving high-quality, safe, and efficient structural components. Its implementation demands technical expertise, precise measurement, and rigorous quality management but offers significant benefits in terms of consistency, safety, and cost-effectiveness. As the industry advances, ongoing adaptation and adherence to these standards will be key to delivering excellence in structural fabrication.

QuestionAnswer

What is the significance of EN 1090 fabrication tolerances in steel and aluminum structures?

EN 1090 fabrication tolerances ensure that steel and aluminum components are manufactured within specified dimensional limits, guaranteeing structural integrity, safety, and compliance with European standards during assembly and installation.

How do fabrication tolerances under EN 1090 impact the quality of construction projects?

Strict adherence to EN 1090 tolerances minimizes discrepancies between components, reduces the need for rework, enhances fit and finish, and ensures overall quality and durability of the finished structure.

What are the main types of tolerances specified in EN 1090 for fabrication?

EN 1090 specifies tolerances related to dimensions, straightness, flatness, thickness, and angles, among others, to ensure components meet precise manufacturing and assembly requirements.

Are there specific tools or methods recommended for verifying EN 1090 fabrication tolerances?

Yes, common tools include coordinate measuring machines (CMM), laser scanners, calipers, straightedges, and surface plates, along with proper inspection procedures to verify compliance with EN 1090 tolerances.

How does compliance with EN 1090 tolerances influence the certification process for steel fabrication companies?

Compliance demonstrates that a company adheres to European standards, facilitating CE marking, ensuring legal conformity, and improving market credibility and client trust in their fabrication quality.

What are the consequences of non-compliance with EN 1090 fabrication tolerances?

Non-compliance can lead to structural issues, safety risks, project delays, increased costs due to rework, and potential legal and certification penalties, emphasizing the importance of strict adherence to standards.

Related keywords: British Standards, EN 1090, fabrication tolerance, steel fabrication, aluminum fabrication, structural steel, welding tolerance, manufacturing standards, structural engineering, quality control

# Machine tolerances chart

Understanding the Machine Tolerances Chart: A Comprehensive GuideMachine tolerances chart is an essential tool in manufacturing, engineering, and quality control processes. It provides vital information about the permissible limits of variation in manufactured parts, ensuring that components fit together correctly and function reliably. Whether you're a seasoned engineer, a quality inspector, or a student learning about machining, understanding how to read and utilize a machine tolerances chart is crucial for maintaining high standards and optimizing production efficiency.

**What Is a Machine Tolerances Chart? Definition and Purpose**A machine tolerances chart is a visual or tabular representation that specifies the acceptable dimensional variations for specific machine parts or manufacturing processes. It indicates the maximum and minimum limits within which a part's dimensions can vary without compromising its performance or assembly. The primary purpose of a tolerances chart is to standardize manufacturing processes, reduce errors, and ensure interchangeability of parts. It helps engineers and machinists determine whether a produced component meets design specifications and quality standards.

**Components of a Tolerance Chart**

- Dimension Range:** The specific measurement or size of the part (e.g., diameter, length).
- Tolerance Limits:** The permissible deviation from the nominal dimension, often expressed as plus/minus values.
- Fit Types:** Indications of how parts will fit together, such as clearance, interference, or transition fits.
- Material and Process Notes:** Additional information relevant to manufacturing or material considerations.

**Types of Tolerance Charts and Standards**

**Common Standards Used in Tolerance Charts**

- ISO Tolerance System:** International standards offering comprehensive tolerance classes for various dimensions.
- ANSI/ASME B4.2:** American standards that define preferred limits and fits.
- DIN Standards:** German standards providing detailed tolerance classes for precision engineering.

**Types of Tolerance Charts**

- Dimensional Tolerance Charts:** Focused on the allowable variations in specific dimensions such as diameter, length, or thickness.
- Geometrical Tolerance Charts:** Address shape, orientation, and positional deviations, including flatness, straightness, and concentricity.
- Fit Tolerance Charts:** Define how two parts will fit together, including clearance, transition, and interference fits.

**How to Read a Machine Tolerances Chart**

**Understanding the Layout**Most tolerance charts are organized in a tabular format with columns and rows representing dimensions and tolerance limits. Key elements include:

- Size Ranges:** Typically listed in the leftmost column, indicating the nominal dimension.
- Tolerance Classes:** Corresponding to specific fit or precision levels, often labeled with letters or numbers (e.g., H7, JS9).
- Upper and Lower Limits:** The maximum and minimum permissible dimensions for each size range.

**Interpreting Tolerance Notations**Standard notation simplifies understanding tolerances:

- Plus/Minus Tolerance:** e.g.,  $50 \pm 0.05$  mm means the dimension can vary between 49.95 mm and 50.05 mm.
- Fit Classes:** e.g., H7, indicating specific tolerance grades for holes and shafts.

**Applying the Chart in Practice**

- Identify the nominal dimension of the part to be manufactured.
- Select the appropriate tolerance class based on the function and fit requirements.
- Consult the chart to determine the upper and lower limits for the chosen size.
- Measure the actual part dimensions and compare with the tolerance limits.
- Accept or reject the part based on compliance with the chart specifications.

**Importance of Using a Machine Tolerances Chart**Ensuring

**Proper Fit and Functionality**Accurate tolerances are vital for ensuring that assembled parts fit together seamlessly, preventing issues such as excessive play or interference. This directly impacts the performance and longevity of machinery.

**Reducing Manufacturing Costs**By defining acceptable variation limits, tolerance charts help avoid over-machining or excessive precision, which can be costly and time-consuming. Proper tolerances balance quality with cost efficiency.

**Improving Quality Control**Using standardized tolerance charts simplifies inspection processes, making it easier to identify defects and maintain consistent product quality.

**Facilitating Interchangeability**Standard tolerances ensure parts produced in different batches or by different manufacturers are interchangeable, crucial for mass production and maintenance operations.

**Factors Influencing Machine Tolerances**

**Material Properties**Different materials expand or contract differently, affecting achievable tolerances. Harder materials may require more precise machining, while softer materials may have larger tolerances.

**Machining Processes**Turning, milling, drilling, and grinding all have inherent precision limits. Advanced processes like CNC machining can achieve tighter tolerances.

**Tooling and Equipment Accuracy**The precision of tools and machines directly impacts the tolerances achievable. Regular calibration and maintenance are essential.

**Environmental Conditions**Temperature, humidity, and vibrations in the manufacturing environment can influence machining accuracy and tolerances.

**Best Practices for Using a Machine Tolerances Chart**

**Select the Appropriate Tolerance Class**Assess the function of the component. Determine the necessary fit and performance requirements. Choose the most economical tolerance class that satisfies these needs.

**Regular Calibration and Verification**Ensure measuring instruments and machines are calibrated regularly to maintain accuracy when applying tolerances.

**Documentation and Traceability**Maintain detailed records of tolerance specifications and inspections to support quality assurance and traceability.

**Training and Skill Development**Equip staff with knowledge about reading and applying tolerance charts effectively to reduce errors and improve productivity.

**Conclusion**The machine tolerances chart is a fundamental component in modern manufacturing and engineering, enabling precise control over part dimensions and ensuring product quality. By understanding how to interpret and apply tolerance charts, professionals can optimize production processes, reduce costs, and guarantee the interchangeability and reliability of components. Whether working with standard specifications or custom tolerances, mastering this tool is essential for achieving excellence in machining and fabrication.

**Machine Tolerances Chart: An Essential Guide for Precision Engineering**

Understanding the intricacies of machine tolerances is fundamental for anyone involved in manufacturing, mechanical design, or quality assurance. The machine tolerances chart serves as a vital reference tool that helps engineers and machinists ensure parts are produced within specified limits, guaranteeing proper fit, function, and longevity of mechanical assemblies. This comprehensive guide explores the significance, structure, and practical applications of machine tolerances charts, providing insights that are crucial for achieving manufacturing excellence.

**What is a Machine Tolerances Chart?**A machine tolerances chart is a visual or tabular representation that delineates acceptable

dimensional variations for manufactured parts. It specifies the permissible limits within which a component's features—such as diameter, length, or hole size—must fall to ensure compatibility with mating parts. These charts are integral to the engineering and manufacturing process because they translate engineering drawings and specifications into clear, standardized data that guides machinists during production. They help prevent issues arising from deviations, such as assembly problems, excessive wear, or failure under operational stresses.

### Key Features of a Machine Tolerances Chart

Defines permissible dimensional variations. Categorizes tolerances based on feature types (holes, shafts, surfaces). Includes standard tolerances for different manufacturing processes. Incorporates geometric tolerances (straightness, flatness, etc.).

### Structure of a Typical Machine Tolerances Chart

A comprehensive machine tolerances chart typically comprises several sections, each serving a specific purpose:

- 1. Tolerance Grades** Tolerance grades classify the precision level of a part. Common standards include ISO, ANSI, and DIN, each with their own grading systems such as IT grades (e.g., IT7, IT9).  
**IT Grades:** Indicate the tolerance range; lower numbers denote tighter tolerances.  
**Application:** Critical components require tighter tolerances (IT5 or IT6), whereas less critical parts may have looser tolerances (IT9 or IT10).
- 2. Dimensional Limits** For each dimension, the chart specifies:  
**Nominal size:** The ideal measurement.  
**Upper and lower deviation:** The maximum and minimum allowable measurement.  
**Tolerance zone:** The permissible range of variation.
- 3. Feature Types and Tolerance Types** Different features have different tolerance requirements:  
**Linear Dimensions:** Lengths, widths, heights.  
**Diameters:** Shaft and hole sizes.  
**Angles and Geometric Features:** Conicity, perpendicularity, parallelism.
- 4. Standardized Tolerance Tables** Most charts include tables referencing ISO or ANSI standards, providing quick lookup for specific dimensions and feature types.

### Importance of Machine Tolerances Chart in Manufacturing

The significance of a machine tolerances chart cannot be overstated in manufacturing processes. It ensures the following:

- Quality Control** By adhering to specified tolerances, manufacturers can maintain consistent quality, reducing variability in produced parts and minimizing defects.
- Interchangeability** Standardized tolerances facilitate the interchangeability of parts across different batches and suppliers, essential for mass production.
- Cost Efficiency** Tight tolerances often require more precise manufacturing processes, which are costly. The chart helps balance quality with cost-efficiency by selecting appropriate tolerances based on functional requirements.
- Functional Performance** Proper tolerances ensure that parts will fit and operate as intended, preventing issues such as excessive wear, vibration, or failure.
- Compliance with Standards** Many industries require compliance with international standards, and the tolerances chart serves as a reference to meet these specifications.

### How to Use a Machine Tolerances Chart Effectively

Using a tolerances chart correctly involves understanding the part's function, critical dimensions, and manufacturing capabilities.

- Step 1: Identify Critical Features** Determine which features are vital for assembly and operation—those requiring tight tolerances—and which can have looser tolerances.
- Step 2: Refer to the Standard Tolerance Grade** Select the appropriate tolerance grade based on the feature's importance and manufacturing process capabilities.
- Step 3: Match Dimensions to the Tolerance Chart** Use the chart to find the acceptable deviation limits for each dimension, ensuring the design specifications are achievable.
- Step 4: Communicate Tolerances Clearly** In drawings and specifications, clearly indicate the tolerances, referencing the chart standards to avoid



ambiguity. Step 5: Quality Inspection Verify produced parts against the tolerances specified in the chart using precise measuring instruments, such as calipers, micrometers, or coordinate measuring machines (CMM).

### Types of Tolerances Detailed in the Chart

The machine tolerances chart encompasses various tolerance types, each serving different purposes:

- 1. Basic Tolerances** Define the ideal or nominal dimensions without allowances. They serve as the reference point for tolerances.
- 2. Allowance** The intentional difference in dimensions of mating parts to facilitate assembly and operation.
- 3. Limit Tolerances** Specify the maximum and minimum acceptable dimensions.
- 4. Geometric Tolerances** Control the form, orientation, and location of features, such as straightness, flatness, perpendicularity, and concentricity.

### Advantages and Disadvantages of Machine Tolerances Charts

Understanding the strengths and limitations of tolerances charts helps in making informed decisions during design and manufacturing.

**Advantages**

- Standardization:** Provides a universal reference, facilitating communication across teams and suppliers.
- Precision Control:** Ensures parts meet specific functional requirements.
- Efficiency:** Speeds up the design process by providing ready-to-use data.
- Quality Assurance:** Helps maintain consistent quality levels.
- Cost Management:** Aids in choosing appropriate tolerances to balance cost and quality.

**Disadvantages**

- Complexity:** Can be complex for beginners to interpret without proper training.
- Over-Tolerancing:** Excessively tight tolerances increase costs unnecessarily if not justified.
- Limitations in Flexibility:** Strict adherence may hinder rapid prototyping or iterative design.
- Dependence on Measurement Accuracy:** Relies on precise measurement instruments, which might be costly.

### Standards and Variations in Tolerance Charts

Various organizations have established standards for tolerances, each with particular features:

- ISO Tolerance Standards (ISO 286):** Widely used internationally, offering a comprehensive set of tolerance grades.
- ANSI/ASME B4.2:** Common in the United States, especially for industrial applications.
- DIN Standards:** Predominant in Germany and Europe, aligning with ISO but with regional variations.
- JIS Standards:** Used in Japan, tailored to regional manufacturing practices.

Each standard provides its own tolerance tables and classifications, but the core principles remain consistent.

### Practical Applications of Machine Tolerances Charts

Machine tolerances charts find application across various industries:

- Automotive Manufacturing:** Ensuring engine components fit precisely to withstand operational stresses.
- Aerospace:** Tight tolerances for safety-critical components.
- Electronics:** Small dimensions require tight control to ensure proper fit and function.
- Medical Devices:** Precision tolerances are essential for device efficacy and safety.
- Consumer Products:** Balancing tolerances with cost for mass production.

In each case, selecting appropriate tolerances based on the chart ensures reliable performance and compliance with industry standards.

### Conclusion

The machine tolerances chart is an indispensable tool in precision manufacturing. It provides a structured approach to defining, communicating, and verifying acceptable dimensional variations, ensuring parts fit and function correctly while balancing manufacturing costs. Mastery of how to interpret and apply these charts enables engineers and machinists to produce high-quality, reliable components that meet industry standards and customer expectations. As manufacturing technology advances, so too does the importance of understanding and utilizing tolerance charts effectively, making them a cornerstone of modern engineering and production processes.

## QuestionAnswer

What is a machine tolerances chart and why is it important?

A machine tolerances chart displays acceptable variation limits for machine components and parts, ensuring proper fit, function, and safety. It is crucial for maintaining quality control and preventing mechanical failures.

How do I read a machine tolerances chart effectively?

To read a machine tolerances chart, identify the dimension specifications, observe the upper and lower tolerance limits, and compare your measurements to ensure they fall within the acceptable range for proper assembly and operation.

What standards are commonly used for machine tolerances charts?

Common standards include ISO, ANSI, and DIN tolerances charts, which provide standardized tolerance grades and limits for various types of machined parts and assemblies.

How do tolerances impact manufacturing quality and cost?

Tighter tolerances improve precision and product quality but may increase manufacturing costs due to higher precision requirements. Conversely, looser tolerances reduce costs but can compromise performance and durability.

Can a machine tolerances chart be customized for specific projects?

Yes, tolerances charts can be tailored based on specific project requirements, material properties, and functional needs to optimize performance and manufacturing efficiency.

What tools are typically used to measure tolerances according to the chart?

Tools like calipers, micrometers, coordinate measuring machines (CMM), and go/no-go gauges are commonly used to measure parts and verify they meet the tolerances specified in the chart.

How does temperature affect machine tolerances?

Temperature fluctuations can cause thermal expansion or contraction of materials, affecting measurements. Therefore, tolerances often specify conditions or allowances to account for

temperature variations.

What is the difference between clearance, interference, and transition fits in tolerances charts?

Clearance fits allow free movement between parts, interference fits create a tight, press-fit connection, and transition fits provide a compromise between the two, with tolerances specifying the limits for each.

Where can I find standardized machine tolerances charts online?

Standardized charts can be found on engineering standards organizations' websites such as ISO, ANSI, DIN, and through manufacturing resources, technical handbooks, and CAD/CAM software documentation.

Related keywords: machine tolerances, engineering tolerances, tolerance chart, machining specifications, dimensional tolerances, manufacturing tolerances, engineering drawings, fit and clearance chart, precision tolerances, machining standards